GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 2698-9, *dated 3rd August* 1932.

List of contracts placed by the Stores Purchase Committee, Government of Mysore Bangalore for the week ending 30th July 1932.

Indent No. and description of article	Quantity	Name of firm	Value of contract
		Messrs.—	Rs. a. p.
L. I. 2136. Pig Lead ..	6 tons	Best & Co., Ltd., Madras ..	287 0 0 per ton f.o.r., Bangalore.
„ 2137. Wheat Bran ..	280 bags	C Venkataswamappa, Bangalore.	5 14 0 a bag free delivery.
Barley crushed ..	50 „	Do ..	6 4 0 do
Oats crushed ..	250 „	A Hanumanthappa & Bros., Bangalore.	7 4 0 do
Salt ..	30 „	Do ..	8 2 0 do
L. I. 2138. Kibbling and Bruising Mill with automatic shaking feeder, belt driven type.	1	Krupp Indian Trading Co., Ltd., Bombay.	504 0 0 f.o.r., Bombay
Winnowing Machine No. 4 Robert Boby's.	1	Marshall Sons & Co., (India) Ltd., Madras.	380 0 0 f.o.r., Bangalore
L. I. 2139. Jute yarn single ply. ..	6,150 lbs.	The Buckingham & Carnatic Co., Ltd., Vizagapatam.	9 12 0 per 82 lbs. f.o.r., Bangalore.
Jute Twine 2 ply. ..	820 „	Do do ..	9 12 0 do
			£ s. d.
L. I. 1071. Mercury ..	225 „	Through the Trade Commissioner for Mysore in London.	10 14 6 per bottle of 75 lbs f.o.b.
„ 1072. Cable single conductor. 6 B. & S. Steel tape armoured B. E. S. A. Standard.	1,500 ft.	The Standard Telephone and Cables Ltd., Calcutta.	63 0 0 lot c.i.f., Madras.

M. S. RAMCHENDRA RAO,
Secretary,
Stores Purchase Committee.

No. S. P. C. 2343-62, *dated 2nd August* 1932.

To

The Firms dealing in Aluminium Cables

Gentlemen,

Enquiry No. 44.

Aluminium Cable and Accessories.

I write to request you to be so good as to intimate your best prices and earliest time of delivery for the aluminium cable and accessories of the specifications given below :—

(1) Miles 33—Standard 3/0 B. & S. size A. C. S. R. (Aluminium cable steel reinforced) equivalent to No. 1/0 B. & S. Hard Drawn Copper Wire and having the following specifications :—

Aluminium strands 6/·1672″,
Steel strands 1·1672,
Diameter of cable ·502″,
Ultimate strength 6730 lbs.
Weight per 1,000 ft.—230·2 lbs.
Approximate length of each piece 4,435 feet,
Conductivity of individual aluminium strands must be not less than 61 per cent of the International standard for annealed copper.

(2) Nos. 50—Parallel Groove Clamps No. 181 for 3/0 A. C. S. R.
(3) Nos. 60—Aluminium joint tubes for twisting No. 528, two sleeves per joint.
(4) lbs. 50—Flat armoured wire, aluminium, size ·05″/·30″.

Whether the cable will be supplied in reels or drums should be clearly indicated in your tender, together with any deviations from the specifications.

As the materials are required very urgently, the prices may be obtained from your Principals by cable if necessary and intimated to us not later than the 10th September 1932.

The price to be quoted should be for delivery c.i.f. Madras.

No. S. P. C. 2605-16, dated 3rd August 1932.

To

The Firms dealing in Soap Cartons.

Gentlemen,

Enquiry No. 50.

WASHING SOAP CARTONS.

The Stores Purchase Committee are in the market for five hundred thousand washing soap cartons *as per sample enclosed.* Please quote your best prices f.o.r., Bangalore City for the cartons required exact to the sample and state how soon you would deliver them if an order is placed. If delivery cannot be effected in a single lot, it may be kindly stated clearly in how many instalments and at what intervals the entire quantity required would be supplied.

Your quotation should be superscribed "Quotation for Washing Soap Cartons" and should be sent to the undersigned on or before the 17th August 1932.

Please quote the above enquiry number in all your communications.

No. S. P. C. 2319-41, dated 3rd August 1932.

To

The Firms dealing in Overhead Ground Wire.

Gentlemen,

Enquiry No. 42.

Overhead Ground Wire.

Please be good enough to intimate your best prices for delivery both C. I. F. Madras and F. O. R. Bangalore for the material described below :—

11 *Miles*— 3/8" Overhead Ground Wire, special galvanized, Siemens Martin Standard, manufactured strictly according to the standard of B. E. S. A. The wire should consist of seven steel galvanized strands (·125" diameter) twisted into a single strand and double heavy galvanized, breaking strength of wire not less than 6,800 lbs., elastic limit 50 per cent, elongation in 24" being 10 per cent.

The wire to be supplied in full lengths of one mile, packed on drums.

The material offered should strictly conform to the specifications and makers of the wire and net weight thereof per mile should be specified in your tender.

As the materials are required urgently, the earliest time within which the material could be delivered should an order be placed with you, should be specified in the quotation.

This enquiry will close on the 25th August 1932.

No. S. P. C. 3054-63. dated 8th August 1932.

To

The Firms dealing in Chemicals.

Gentlemen,

Enquiry No. 56.

Formal-de-hyde required for the Sericulture Department.

Please be good enough to quote your best present day price f.o.r Mysore and also c.i.f, Madras for 300 lbs. of Formal-de-hyde (Merck's) and state how soon you would supply the entire quantity if an order is placed.

Your quotation should reach the undersigned on or before the 19th August 1932, superscribed "Quotation for Formal-de-hyde for the Sericulture Department".

Please refer to the above Enquiry No. in your correspondence on the subject.

No. S. P. C. 2378-92, *dated 1st August* 1932.

To

The Firms dealing in Points & Crossings.

Gentlemen,

Enquiry No. 46.

Points and Crossings required for renewals on the 2 ft. 6 inch gauge-Railway.

Indent No. 77.

Please quote your best prices and the earliest time of delivery for supply of Points and Crossings described below which are required for renewals on the narrow gauge line of the Mysore Railways:—

1. 40 R. lb. section built-up crossings 1 in 12 for 2 ft. 6 in. gauge, complete with ramped wing rails suitable for fishing with standard section F.F. rails, as per British Standard Specification Book No. 11 of 1926 and to conform to the schedule of standard dimensions of Indian Railways for Narrow Gauge Track of 1922 (as revised and reprinted in 1930) 5 sets are to be left-handed and 4 sets are to be right-handed ... ... 9 sets.
2. 40 R. lb. built-up switches 12 ft. long, complete with all fittings, *without* throw-over levers, suitable for fishing with standard 40 R. lb. F. F. B. S. section rails, as per Book No. 11 of 1926. The switches are to conform to schedule of Standard Dimensions of Indian Railways for Narrow Gauge Track of 1922 (as revised and reprinted in 1930). Five sets are to be left-handed and four sets are to be right-handed ... ... 9 sets.
3. 40 R. lb. section built-up crossings 1 in 8½ for 2 ft. 6 inch gauge, complete with ramped wing rails, suitable for fishing with standard section F. F. rails as per British Standard Specification Book No. 11 of 1926, and to conform to the schedule of Standard Dimensions of Indian Railways for Narrow Gauge Track of 1922 (as revised and reprinted in 1930). The set is to be left-handed ... ... 1 set.
4. 40 R. lb. section built-up switches 9 ft. long complete with all fittings, *without* throw-over levers, suitable for fishing with standard 40 R. lb. section F. F., B. S. S. rails as per Book No. 11 of 1926. The switches are to conform to schedule of Standard Dimensions of Indian Railways for narrow Gauge Track of 1922 (as revised and reprinted in 1930). The set is to be left-handed ... ... 1 set.

The materials will be subject to test, inspection and approval by the Indian Stores Department before despatch.

The prices to be quoted should be for delivery f.o.r. Kolar Railway Station, Mysore Railways, and should be based on R. M. C. Rates, which will be applicable to the materials.

Your quotation should be superscribed quotations for "Points & Crossings required for Mysore Railways" and should reach the undersigned on or before the 12th September 1932.

Notice No. S. P. C. 3199-218, *dated 9th August* 1932.

To

The Firms dealing in Rosin.

Gentlemen,

Enquiry No. 57, Rosin.

Please quote your best present day price for 10 *tons of ordinary Rosin III Grade and* 2 *tons of Rosin W. W. quality* and state how soon you would be able to supply the entire quantity required if an order is placed.

Your quotation should be for delivery f.o.r. Bangalore and should reach this office not later than the 19th August 1932.

Samples of the material offered should be sent along with your quotation for our inspection.

Please refer to the above Enquiry No. in your correspondence.

No. S. P. C. 3272-7—*dated 9th August* 1932.

To

The Firms dealing in Petroleum Jelly.

GENTLEMEN,

Enquiry No. 59, Petrolleum Jelly.

About 12,000 pounds of petroleum jelly will be required for the Government Medical Stores, deliveries being regulated in two instalments.

Please quote your best prices for the material delivered f. o. r. Bangalore, in non-returnable drums. The capacity of the containers offered should also be specified together with information as to the time required by you to complete the supply in the event of an order being placed with you.

Quotations should be accompanied by samples.

This enquiry will be closed on the 26th August 1932.

No. S. P. C. 3220-42, *dated 9th August* 1932.

To

The Firms dealing in Electrical Materials.

Gentlemen,

Enquiry No. 58.

Electrical materials required in connection with Dasara Festivities.

Please intimate your best prices for the materials described below for delivery f.o.r. Mysore :—

1.	Lightning Arresters, Pellet type, 1,000—3,000—volts ..	18	Nos.
2.	Switch D. P. S. T. 30-amps. on slate base with fuse arrangement, 250—600—volts	12	,,
3.	Cut-out combined with switch 60-amps. D. P. S. T. in cast iron box, iron-clad	30	,,
4.	Fuse cartridge 60-amps. renewable, Cat. No. 1034 G. E. ...	60	,,
5.	Casing fuse plug 60-amps. Cat. No. G. E. 36094 ...	60	,,
6.	Fan Desk Oscillating 16" with self contained speed control, 25—cycles, 220—volts	2	,,
7.	Wire insulated No. 2 B. & S. stranded, single conductor, rubber insulated, 600—volts	300	ft.
8.	Wire insulated No. 12 B. & S. stranded, single conductor, rubber insulated, 600—volts	2,000	,,
9.	Wire insulated No. 14 B. & S. stranded, single conductor, rubber insulated, 600—volts	1,500	,,
10.	Wire insulated No. 10 B. & S. stranded, single conductor, 3,500—volts, single braid, weather proof	2,500	,,
11.	Wire insulated No. 16 B. & S. stranded, fixture wire, 600 V	500	,,
12.	Holders or sockets, street series, Cat. No. G. E. 25711 ...	250	Nos.
13.	Holders, Batten B. C.	300	,,
14.	Lamps, 1000—watts, 1/2—watt, 220—volts, S. C. ...	40	,,
15.	Lamps, 1000—watts, 1/2—watt, 220—volts, S. C. suitable for G. E. L-31-B. Flood light projectors (Similar to Mazda Flood light lamps, burn base down or horizontal)...	60	,,
16.	Projectors Flood-light, G. E. L-31-B.	10	,,
17.	Tape Varnish Cambric, $\frac{3}{4}$"	100	Rolls.

As the materials are required very urgently, only such firms as can offer the materials from stock need quote. The materials will be required to be delivered at Mysore not later than the 1st week of September 1932.

Illustrated pamphlets and catalogues showing the materials offered should accompany the quotation, together with information as to the maker's name of the materials.

This enquiry will close on the 22nd August 1932.

No. S. P. C. 3131-48, *dated 9th August* 1932.

To

The Firms dealing in Photo Materials.

Gentlemen,

Enquiry No. 56.

X-Ray Films and Papers.

Please quote your best prices for the X-Ray Films, Photo Materials, etc., described below for free delivery in the Hospitals at Bangalore and Mysore—f. o. r. Bangalore and Mysore :—

		Approximate quantity.	
(1)	Eastman, Ultra-speed, dupli-tized, X-Ray Films, made by Eastman Kodak Co., Rochester, N. Y. size 17" x 14"	6	doz.
	12" x 15"	65	,,
	10" x 12"	214	,,
	10" x 8"	112	,,
	6" x 8"	25	,,
	$6\frac{1}{2}$" x $8\frac{1}{2}$"	6	,,
	$6\frac{1}{2}$" x $4\frac{3}{4}$"	6	,,
(2)	X-Ray Dental films extra fast	24	,,
(3)	P. O. P. Paper	1	quire
(4)	Bromide paper 12" x 15"	18	pkts. of 12 sheets each.
	Do 10" x 12"	50	do
	Do 10" x 8"	40	do
	Do $6\frac{1}{2}$" x $8\frac{1}{2}$"	30	do
(5)	Velox, 17" x 14"	6	do

The prices quoted should hold good for a period of one year from the date of order.

The contract for these materials will be subject to the following conditions :—

1. No enhancement in the prices now accepted will be allowed during the period of contract.

2. The quantities of different kinds of articles given above are only provisional and not guaranteed. Only such articles as may be required by the Institutions from time to time will have to be supplied in the quantities to be indented for within a week from the date of receipt of indents.

3. As a guarantee for the proper performance of the contract, the successful tenderers will have to execute an agreement undertaking to abide by our terms and also to furnish a security deposit of Rs. 250 which is refundable after the expiry of the period of contract.

The enquiry will be closed on the 29th August 1932.

Yours faithfully,
M. S. RAMCHENDRA RAO,
Secretary,
Stores Purchase Committee.

Notice No. S. P. C. 3020, *dated 6th August* 1932.

ENQUIRY NO. 54.

Mineral and Lubricating Oils required for the Mysore Government Departments.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Mineral and Lubricating Oils required for the Mysore Government Departments during the year 1932-33 up to 2 P.M. on 26th August 1932.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. three which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms.

By Order,
M. S. RAMCHENDRA RAO,
Secretary,
Stores Purchase Committee.